

YENKIN-MAJESTIC PAINT CORPORATION -- 70-5798 RUST KILL ENAMEL PRIMER -- 8010-00D006902

=====
Product Identification
=====

Product ID:70-5798 RUST KILL ENAMEL PRIMER
MSDS Date:07/17/1990
FSC:8010
NIIN:00D006902
MSDS Number: CFDZM
=== Responsible Party ===
Company Name:YENKIN-MAJESTIC PAINT CORPORATION
Address:1920 LEONARD AVE
Box:369004
City:COLUMBUS
State:OH
ZIP:43236-9004
Country:US
Info Phone Num:614-253-8511
Emergency Phone Num:800-424-9300(CHEMTREC)
CAGE:EO325

==== Contractor Identification ====
Company Name:YENKIN MAJESTIC PAINT CORP
Address:E 5TH AVE & LEONARD AVE
Box:City:COLUMBUS
State:OH
ZIP:43219
Country:US
Phone:614-253-8511
CAGE:91708
Company Name:YENKIN-MAJESTIC PAINT CORPORATION
Address:1920 LEONARD AVE
Box:369004
City:COLUMBUS
State:OH
ZIP:43236-9004
Country:US
Phone:614-253-8511
CAGE:EO325

=====
Composition/Information on Ingredients
=====

Ingred Name:MAGNESIUM SILICATE
CAS:1480-96-6
Fraction by Wt: 5-10%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ZINC OXIDE (SARA 313) (CERCLA)
CAS:1314-13-2
RTECS #:ZH4810000
Fraction by Wt: 3.55%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:15 MG/M3 TDUST
ACGIH TLV:10 MG/M3 TDUST; 9596

Ingred Name:BARIIUM METABORATE
CAS:13701-59-2
RTECS #:CQ9570000
Fraction by Wt: 7.1%
Other REC Limits:NONE RECOMMENDED

Ingred Name:ALIPHATIC HYDROCARBON
CAS:64742-88-7
Fraction by Wt: 30-35%
Other REC Limits:NONE RECOMMENDED

Ingred Name:VOLITILE ORGANIC CONTENT AS LISTED ON MSDS, 3.74 #/GAL.
RTECS #:9999999VC
Fraction by Wt: NA
Other REC Limits:NONE RECOMMENDED

Ingred Name:IRON OXIDE
CAS:1309-37-1
RTECS #:NO7400000
Fraction by Wt: 25-30%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:10 MG/M3 (FE)
ACGIH TLV:5MG(FE)/M3FUME,B2;96

=====
===== Hazards Identification =====
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE:INHAL:ANESTHETIC.IRRIT RESP
TRACT,ACUTE NERV SYS DEPRESS CHARACTERIZED BY FOLLOWING PROGRESSIVE
STEPS:HEAD,DIZZ,STAGGERING GAIT,CONFUSION,UNCONSC,COMA.SKIN/EYE
CONTACT:PRIMARY IRRIT.CHRONIC:NONE RECOGNIZED.
Explanation of Carcinogenicity:PER
MSDS:CARCINOGENICITY:NTP/IARC/OSHA:NO.
Effects of Overexposure:ANESTHETIC,IRRIT RESP TRACT,NERVOUS SYS
DEPRESSION-HEADACHE,DIZZ,STAGGERING GAIT,CONFUSION,UNCONSC,COMA.
Medical Cond Aggravated by Exposure:NONE KNOWN.

=====
===== First Aid Measures =====
=====

First Aid:INHAL:REMOVE TO FRESH AIR.RESTORE BREATHING.TREAT
SYMPTOM.CONSULT DR.SPLASH(EYE):FLUSH IMMED W/LG AMTS OF WATER FOR
@LEAST 15MINS.TAKE TO DR FOR MED TREAT.SPLASH(SKIN):WASH
W/SOAP/WATER.REMOVE CONTAMI N CLOTH.CONSULT DR IF IRRIT
PERSISTS.INGEST:DRINK 1-2 GLASSES OF WATER TO DILUTE.DONT INDUCE
VOMIT.CONSULT DR/POISON CNTRL CNTR IMMED.TREAT SYMPTOMATICALLY.

=====
===== Fire Fighting Measures =====
=====

Flash Point Method:SCC
Flash Point:105F,41C
Autoignition Temp:Autoignition Temp Text:NP
Lower Limits:1.0
Upper Limits:NP
Extinguishing Media:FOAM, CO2, DRY CHEMICAL, WATER FOG. OSHA:CLASS II,
DOT:COMBUSTIBLE LIQUID.
Fire Fighting Procedures:H2O MAY BE INEFFECTIVE;IF USE,FOG NOZZ
PREFER.H2O MAY BE USED TO COOL CLSD CNTNR-PREVENT PRESSURE
BUILDUP/AUTO-IGN WHEN EXPO TO EXTREME HEAT.FULL PROTECT(SUPPL)
Unusual Fire/Explosion Hazard:ISOLATE FROM HEAT/ELECTR EQPMT/SPARKS/OPN
FLAME.APPLICATION TO HOT SURFACES REQUIRE SPEC PRECAUT.CLSD CNTNR
MAY EXPLO WHEN EXPO TO EXTREME HEAT.DURING (SUPPLE)

=====
===== Accidental Release Measures =====
=====

